

WHAT IS CLAIMED IS:

1. A telecommunication system comprising:

a first network having a first node and a second node which can communicate with each other;

a third node separate and apart from the first network;
and

a communication portion in communication with the first network and the third node through which the third node is only able to communicate with the first node, but not with the second node through the first node.

2. A system as described in Claim 1 wherein the first node has a first port and the second node has a second port, and wherein the third node only communicates with the first port of the first node through the communication portion.

3. A system as described in Claim 2 wherein the communication portion includes the Internet.

4. A system as described in Claim 3 wherein the third node forms a connection with the first node through an Internet of the communication portion.

5. A system as described in Claim 4 including a second network having the third node and a fourth node which can communicate with each other but only with the first node or the

second node through individual connections through the first port of the first node or the second port of the second node, respectively.

6. A system as described in Claim 5 wherein the first network monitors and manages the second network.

7. A telecommunication system using the Internet comprising:

a first network having a first node having a first port, a second node having a second port and a primary server in communication with each other;

a second network having a third node and a fourth node and a client server in communication with each other, the third node having a connection with the port of the first node via the client server and through the Internet and the primary server using gateway methodology so the second node cannot be accessed by the third node through the first node.

8. A system as described in Claim 7 wherein the client server encrypts data from the third node on the connection and the primary server decrypts data for the first node.

9. A system as described in Claim 8 wherein the first network monitors and manages the second network.

10. A method for telecommunications comprising the steps of:

communicating between a first node of a first network and a second node of the first network; and

communicating between a third node separate and apart from the first network through a communication portion and the first node but not the second node through the first node.

11. A method as described in Claim 10 wherein the third node communicating step includes the step of communicating between the third node and only with a first port of the first node through the communication portion.

12. A method as described in Claim 11 wherein the third node communicating step includes the step of communicating between the third node and the first node through an Internet of the communication portion.

13. A method as described in Claim 12 including the steps of communicating between the third node of a second network and a fourth node of the second network; and communicating between the first network and the third and fourth nodes of the second network only through individual connections through the first port of the first node or the second port of the second node, respectively.

14. A method as described in Claim 13 including the step of monitoring and managing the second network by the first network.